

GeoViz: A Multi-View Visualization Platform for Spatio-temporal Knowledge Graph

Jianping Zhou¹, Junhao Li¹, Guanjie Zheng¹(✉), Yunqiang Zhu², Xinbing Wang¹, and Chenghu Zhou²

¹ Shanghai Jiao Tong University, Shanghai 200240, China

² Chinese Academy of Sciences, Beijing 100101, China

{jianpingzhou,gjzheng}@sjtu.edu.cn

Abstract. In this paper, we propose a multi-view visualization technology for spatio-temporal knowledge graph (STKG), which utilizes three distinct perspectives: *knowledge tree*, *knowledge net*, and *knowledge map*, to facilitate a comprehensive analysis of the STKG. The knowledge tree enables the visualization of hierarchical interrelation within the STKG, while the knowledge net elucidates semantic relationships among knowledge entities. Additionally, the knowledge map displays spatial and temporal distributions via spatial maps and time axes, respectively. Our visualization technology addresses the limitations inherent in single-view approaches and the deficiency of interaction in spatio-temporal perspectives evident in existing visualization methods. Moreover, we have encapsulated this technology within an integrated, open-source platform named GeoViz. A demo video of GeoViz can be accessed at <https://anonymous.4open.science/r/GeoViz>.

Keywords: Spatio-Temporal Knowledge Graph · Multi-View Visualization.

1 Introduction

With the exponential expansion of spatio-temporal data, research endeavors have increasingly turned to spatio-temporal knowledge graphs (STKG) for efficient knowledge management and downstream knowledge services. However, there is always a lack of effective visualization tools for STKG, which hampers intuitive comprehension of the relationship, distribution, and evolutionary rules within spatio-temporal knowledge triplets.

Related Work. Recently, there are many visualization tools available to assist in understanding data and knowledge graphs, such as D3.js, Vis.js, Echarts, and Antv G6 [1, 2]. D3.js visualizes data through SVG, canvas, and HTML. Vis.js provides a variety of network and timeline chart types. Echarts facilitates data analysis through numerous diagram types. Antv G6 specializes in graph visualization. Unfortunately, these tools do not support user interaction from the spatio-temporal dimension. Neo4j [3] provides a front-end to visualize its stored knowledge graph, but its visualization is single-view, falling short in displaying sufficient information on the unique spatial and temporal dimensions.

Moreover, it needs to interact through *Cypher* programming language, which is inconvenient for users to utilize.

Our Approach. To address the aforementioned issues, we propose a multi-view visualization method to enhance the analysis of STKG. Specifically, we design three visualization modes tailored for STKG: *knowledge tree*, *knowledge net*, and *knowledge map*. The knowledge tree delineates the hierarchical structure of STKG, the knowledge net elucidates the semantic relationships, and the knowledge map displays the spatial and temporal distributions. Furthermore, we have developed an integrated platform, *GeoViz*, which supports the customization of these visualization modes according to user-specific needs. For the convenience of users, we devise an easy-to-use web user interface with no-code interaction.

2 System Overview

In this section, we provide an overview of three distinct types of visual analysis: *knowledge tree*, *knowledge net*, and *knowledge map*. Detailed descriptions of these visualization modes and their functionalities are elaborated in subsequent parts.

2.1 Knowledge Tree

To elucidate the hierarchical structure of STKG, we design a knowledge tree visualization mode to display the hierarchical interrelations among spatio-temporal knowledge entities. *GeoViz* maps the spatial and temporal attributes of the knowledge entities, after normalizing them, to the corresponding nodes of the spatial and temporal concept tree that match their own attributes. In particular, we define the temporal attribute of the knowledge entity at the root node as the entire timeline, with a first-level sub-nodes as a decade and a secondary sub-nodes as a specific year. We define the spatial attribute of the knowledge entity at the root node as the world, with a first-level sub-nodes as a continent, and a secondary sub-nodes as a specific country. When knowledge entities are mapped to each node of the concept tree individually, *GeoViz* will display a tree-like structure, revealing the hierarchical relationships between knowledge entities.

2.2 Knowledge Net

Due to the complex and diverse semantic relationships of STKG, we design the knowledge net visualization to present different correlations. Furthermore, in order to visualize the region of user’s interest from the knowledge net with massive nodes or edges, we can extract the subgraphs of the interested nodes. In addition, we compute the semantic similarity between the knowledge entities with the assistance of a pre-trained large language model API to discover whether there is any correlation relationship between the unassociated nodes.

We present an example of knowledge net visualization within the STKG of mountain hazards, as shown in Figure 1. Specifically, users choose the time range




Fig. 1. An example of knowledge net visualization within the STKG of mountain hazards.

through the filter, and then find the knowledge entities interested through interactive operations. Subsequently, users can double-click to zoom-in on the interest node and its subgraph. On this basis, users can click the *discovery* button to display new knowledge links (*dashed lines: Both nodes refer to a large landslide that occurred in Danba County, Sichuan Province, China.*) between the automatically discovered blue node (a debris flow disaster instance) and red node (a landslide instance).

2.3 Knowledge Map

To reveal the spatial and temporal distribution patterns of knowledge entities within the STKG, our system introduces a knowledge map comprising both a spatial map and temporal axes. Knowledge entities are systematically positioned within the knowledge map according to their respective time scales and geographic coordinates. This arrangement facilitates clear observation of the spatial and temporal distribution patterns, enhancing user comprehension.

As shown in Figure 2, we present an example of knowledge map visualization pertaining to the STKG of mountain hazards. Firstly, users can retrieve knowledge entities by applying filtering criteria and searching keywords, subsequently




Fig. 2. An example of knowledge map visualization pertaining to STKG of mountain hazards.

accessing the attributes of interested knowledge entity. In addition to visualizing the spatial distribution of knowledge entities on the map, the timeline facilitates observation of their temporal distribution. Our knowledge map visualization is a more intuitive way for scientific research to discover the rules of spatio-temporal distribution.

3 Conclusion

In this paper, we propose an integrated multi-view visualization platform, GeoViz, aimed at facilitating comprehensive and clear analysis of spatio-temporal knowledge graph (STKG). In future work, we plan to expand GeoViz to accommodate super-large scale STKG and to conduct more targeted applications in spatio-temporal fields, e.g. mountain hazards, smart-city, etc., enhancing the role of visualization in scientific research.

References

1. Bostock, M., Ogievetsky, V., Heer, J.: D³ data-driven documents. *IEEE transactions on visualization and computer graphics* **17**(12), 2301–2309 (2011)
2. Li, D., Mei, H., Shen, Y., Su, S., Zhang, W., Wang, J., Zu, M., Chen, W.: Echarts: a declarative framework for rapid construction of web-based visualization. *Visual Informatics* **2**(2), 136–146 (2018)
3. Webber, J.: A programmatic introduction to neo4j. In: *Proceedings of the 3rd annual conference on Systems, programming, and applications: software for humanity*. pp. 217–218 (2012)